

Author Index of Volumes A31 and A32

- Adami, M., 431
 Ahmed, H., 403
 Akin, P., 17
 Alavi, M., 299
 Alberigi Quaranta, A., 366
 Andersson, S., 575
 Andrenelli, L., 539
 Archenault, M., 701
 Armelles, G., 354
 Arutyunyan, V. M., 480
 Ayasse, J.-B., 17
- Baillieu, F., 149
 Bajars, G., 476
 Baltes, H., 210, 241, 283
 Bardati, F., 291
 Barnes, C., 159
 Barrios, L. J., 491
 Barton, J. S., 110
 Bausells, J., 347
 Benecke, W., 121, 340, 525, 598
 Beranger, M., 174
 Berberian, G. K., 480
 Bergveld, P., 24
 Bernardi, S., 407
 Betancourt, F., 491
 Betemps, M., 46
 Bezinge, A., 375
 Bezrukov, A. V., 220
 Binder, J., 60
 Bisenberger, M., 144
 Bitzer, B., 545
 Bjørnstad, B., 164
 Blaauw, E. J., 442
 Blasquez, G., 616
 Bosman, J. W., 9
 Bourdinaud, M., 464
 Bourouina, T., 149
 Bousse, L., 431
 Bräuchle, C., 144
 Bravo, T., 611
 Briones, F., 354
 Brunetti, L., 423
 Bruschi, P., 313
 Bruyère, J. C., 303
 Bürgler, J., 210
 Buser, R. A., 29
 Bustos, P., 491
 Butcher, R. J., 403
 Butler, C., 68
 Büttgenbach, S., 299
- Cacialli, F., 313
 Calderón, L., 182, 550
 Calle, A., 354
 Campesato, R., 651
 Cantoni, P., 366
- Capineri, L., 361
 Capon, J., 437
 Castoldi, A., 245
 Cesqui, F., 407
 Chovet, A., 656, 682
 Ciepielewski, P., 632
 Cirri, G. F., 665
 Collins, A. J., 77
 Culshaw, B., 706
- D'Amico, A., 507
 Danel, J. S., 267
 Davide, F. A. M., 507
 De Baets, J., 437
 De Bruijn, J. M., 9
 De Cicco, G., 153, 665
 de Frutos, J., 393
 de Graaf, G., 442
 Delapierre, G., 267
 De Maria, L., 710
 den Besten, C., 24
 de Rooij, N. F., 29, 335, 375
 De Rossi, D., 97
 De Rycke, I., 437
 De Sabata, I., 678
 De Smet, H., 437
 de Vries, P., 380
 Dietz, R., 54
 di Giacomo, P., 487
 Domenici, C., 97
 Dommann, A., 29
 Dorovska, V., 661
 Douma, B. S., 215
 Doutrelaigne, J., 437
 Drost, S., 326
 D'Silva, C., 159
 Duret, D., 174
 During, C., 575
 Dziuban, J. A., 628
- Eigenraam, P., 215
 Endres, H. E., 326
 Engelmann, G., 598
 Eppelsheim, C., 144
 Eriksrud, M., 164
 Esashi, M., 335
 Esteve-Tinto, J., 347
- Ferrero, C., 125
 Flores, C., 651
 Fluitman, J. H. J., 168
 Folkmer, B., 521
 Fouquet, R., 701
 Frabboni, S., 366
 Frabetti, P. L., 366
 Freire Bastos, T., 182, 550
 Fuhr, G., 525
- Gagnaire, H., 701
 Gerlach, A., 130
 Gerlach G., 54
 Gervino, G., 455
 Giordano, P., 656
 Giusto, R., 291
 Golmayo, D., 354
 Göpel, W., 1, 130, 326
 Gorecka-Drzazga, A., 628
 Gregoriou, G., 68
 Grigorenko, A. N., 671
 Groth, P., 521
 Guinea, D., 491
 Günther, P., 357
 Gusland, O. H., 164
- Hafeman, D., 431
 Hagedorn, R., 525
 Hale, K. F., 110
 Hammes, P. C. A., 396
 Hampp, N., 144
 Hatlem, P., 215
 Haug, M., 103, 326
 Healey, G. W., 582
 Heger, R., 178
 Heintz, F., 54
 Herr, E., 283
 Herzog, J. P., 696
 Hess, G., 555, 560
 Hille, P., 321
 Hiratsuka, R., 380
 Huijsing, J. H., 9
- Jaffrezic-Renault, N., 307
 Jiménez, B., 393
 Jones, B. E., 110, 178
 Jones, G. R., 691
 Jones, J. D. C., 110
 Jones, J. P., 159
 Jutard, A., 46
- Kamińska, E., 632
 Kirschner, I., 275, 604
 Kleinschmidt, P., 35
 Kleperis, J., 476
 Knoll, P. M., 51
 Kothe, J., 470
 Kramer, J., 241
 Kranevskis, A., 476
 Kühnel, W., 560
 Kvisterøy, T., 164
 Kwa, T. A., 259, 591
- Laguesse, M., 464
 Lamotte, U., 545
 Lang, W., 521
 Langheinrich, W., 419
 Lechuga, L. M., 354
- Leppävuori, S., 275, 604
 Levin, Yu. K., 220
 Lewis, T. J., 159
 Liberati, R., 407
 Lipowicz, U., 628
 Lopatin, V. A., 220
 Lusi, A., 476
- Mahmoud, K. M., 188
 Makhotkin, V. E., 220
 Manfredi, P. F., 366
 Marchetti, S., 389
 Marco, S., 347
 Marinari, C., 125
 Marini, M. E., 407
 Martelet, C., 307
 Martín Abreu, J. M., 182, 550
 Martinelli, M., 710
 Martínez-Herrero, R., 588
 Martino, E., 125
 Masotti, L., 361
 Mathieu, N., 656, 682
 Matucci, A., 665
 McBride, R., 110
 Mejías, P. M., 588
 Mendonca, C. A., 632
 Meydan, T., 582
 Meyer, J., 419
 Micovic, M., 632
 Minucci, M., 665
 Monticone, E., 455
 Morante, J. R., 347
 Morten, B., 153, 665
 Mostarshed, S., 431
 Moussavi, M., 174
 Mouthaan, A. J., 168
 Müller, T., 525
 Munter, P. J. A., 206, 413
 Murphy, M. M., 691
- Nakstad, H., 164
 Nannini, A., 313
 Nava, F., 366
 Nicolini, C., 431
 Nikitin, P. I., 671
 Noll, M., 51
- Offereins, H. L., 521
 Otaredian, T., 250, 380
 Ottaviani, G., 366
- Paone, N., 539
 Passaseo, A., 651
 Perlin, P., 632
 Placko, D., 17
 Pons, P., 616
 Popa, N. C., 678

- Popp, J., 144
 Porjesz, T., 604
 Potencz, I., 678
 Pressmar, R., 521
 Prudenziati, M., 153, 665
 Puers, B., 90
 Pyragas, K., 622

 Queirolo, G., 366
 Quenzer, H. J., 340

 Rao, Y. J., 706
 Rapps, P., 51
 Regtien, P. P. L., 83, 101, 396
 Reynes, B., 303
 Riccobene, C., 210
 Riedijk, F. R., 9
 Riethmüller, W., 121
 Rinieri, M., 361
 Rocchi, S., 361
 Romiti, A., 531
 Ros, S., 550
 Rosengren, L., 200
 Rossi, G., 539
 Roumenin, C., 661
 Ruiz, A., 491

 Ruiz, O., 347
 Ruppel, W., 225
 Rutka, M. J., 499

 Samitier, J., 347
 Sampietro, M., 245
 Sandmaier, H., 521
 Sarro, P. M., 138, 380
 Sartore, M., 431
 Schellin, R., 555
 Schierbaum, K. D., 130, 326
 Schmidt, F., 35
 Schnakenberg, U., 121, 525
 Schumacher, A., 299
 Seidl, A., 521
 Seitz, P., 241
 Shoji, S., 335
 Shurukin, B. P., 220
 Simili, R., 389
 Simon, J. P., 46, 598
 Smith, L., 200
 Söderkvist, J., 200, 567
 Sokol-Kutilovsky, O. L., 671
 Sorli, M., 531
 Spirkovitch, S., 149
 Spooncer, R. C., 178
 Spronck, J. W., 115

 Srinivas, T. A. S., 403
 Stagni, L., 366
 Stark, B., 164
 Staufert, G., 29
 Stemme, E., 453
 Stemme, G., 453
 Strack, H., 321

 Tautvaišas, G., 622
 Teisseyre, H., 632
 Tersalvi, A., 611
 Tilmans, H. A. C., 168
 Timans, P. J., 403
 Tischhauser, H., 29
 Tognolatti, P., 291
 Tonini, R., 366
 Tosi, A., 611
 Trzeciakowski, W., 632
 Tschan, T., 375

 Uttamchandani, D., 706
 Uusimäki, A., 604

 Vaivars, G., 476
 Van Calster, A., 437
 van der Schoot, B., 335
 van Drieënhuizen, B. P., 229

 van Duyn, D. C., 206, 380, 413
 Vanfleteren, J., 437
 van Mullem, C. J., 168
 Van Oudheusden, B. W., 9
 Vauge, C., 149
 Vékás, L., 682
 Vergote, S., 90
 Verni, S., 651
 von Münch, W., 470

 Wachutka, G., 210
 Wagner, B., 121, 525, 598
 Wagner, H.-J., 299
 Walsh, D., 706
 Wilkander, J., 575
 Wolffenbuttel, M. R., 101
 Wolffenbuttel, R. F., 101, 188, 229, 259, 442, 499, 591
 Wouters, S. E., 250

 Zabler, E., 54
 Zheng, S. X., 110
 Zhu, F., 115
 Žilionis, S., 622
 Zucker, O., 419
 Zvezdin, A. K., 671
 Zvezdin, M. K., 671

Subject Index of Volumes A31 and A32

- Absolute position measurement
non-contact, using contact disc player optical pick-up, 575
- Accelerometer(s)
damping of piezoresistive Si, 375
design considerations for thermal, 380
smart, with on-chip electronics fabricated by commercial CMOS process, 121
- Acoustic emission
intrinsic optical fibre sensor for monitoring, 110
- Aluminium
dynamic properties of pressure sensors based on AlGaAs films, 622
- Amorphous ribbons
magnetic field sensor based on rotating, 220
- Anisotropic etching
fabrication of microchannels by laser machining and, of Si, 299
- Arsenic
dynamic properties of pressure sensors based on AlGaAs films, 622
GaAs Hall sensors made by MOCVD technique, 651
use of electroluminescence technique in Pt/GaAs Schottky barrier sensor characterization, 354
- Automotive sensors
new generation of, to fulfil requirements of fuel economy and emission control, 60
- Bimorph structures
biaxial scanning mirror activated by, for medical applications, 29
- Biochemical application
theory of operation of piezoelectric quartz crystal sensors for, 159
- Bipolar readout electronics
compatibility between, and microstructures in Si, 188
- Bolometer
thin-film, for high-frequency metrology, 423
- Bonding
low-temperature Si wafer, 340
- Cadmium
CdSe-based thin-film integrated optical sensors, 437
implanted homojunctions on LPE HgCdTe, 407
- Calcium
pure and Ca-modified Pb titanate ceramics for pyroelectric sensors, 393
- Calibration systems
for strain gauges to be used at cryogenic temperatures, 125
- Calorimetric transducers
selective detection of organic molecules with polymers and supramolecular compounds; application of, 130
- Camera
inexpensive real-time 3-D, with smart optical sensor, 241
- Capacitance sensors
controlled selectivity of polysiloxane coatings; their use in, 326
- Capacitance transducers
selective detection of organic molecules with polymers and supramolecular compounds; application of, 130
- Capacitive pressure sensors
transient response of, 616
- Capacitive response
micromachined sensor structures with linear, 200
- Car
how many sensors does a car need?, 35
- CCD detector array
UV-sensitive, based on charge-induced depletion layers, 470
- Charge amplifier
integrated, for smart tactile sensor, 101
- Chemical analyzing systems
high-pressure micropump for integrated, 335
- Chemical sensor
compact optical, based on surface plasmon interrogation, 710
- CMOS process
smart accelerometer with on-chip electronics fabricated by commercial, 121
- Coherence effects
diffractive and, in linear moiré displacement sensors, 588
- Colour sensor
colour measurement system for testing of integrated, 442
- Compact disc player
non-contact absolute position measurement using, optical pick-up, 575
- Condenser microphone
new, with p⁺ Si membrane, 149
- Cryogenic temperatures
calibration systems for strain gauges to be used at, 125
- Crystal etching
anisotropic; simulation program, 267
- Current sensor
new, using electron spin resonance, 174
- Damping
of piezoresistive Si accelerometers, 375
- Data structures
for multi-sensor integration, 491
- Detector(s)
semiconductor drift, for high resolution X-ray spectroscopy, 245
spatial resolution of diffusion-based Si nuclear radiation, 250
- Dielectric induction micromotors
field levitation and torque-frequency characteristics, 525
- Dielectric layer
comparison of SiO₂ and polyimide as, on stainless steel in thin-film pressure sensor manufacture, 611
- Diffractive effects
in linear moiré displacement sensors, 588
- Digital techniques
improve range measurement with ultrasound sensor, 545
- Displacement sensor(s)
diffractive and coherence effects in linear moiré, 588
optical angular, with high resolution integrated in Si, 591

- Dosimetry applications
 - new development of HgI_2 X-ray and soft gamma ray detector for synchrotron radiation research and, 455
- Downhole monitoring systems
 - modelling pressure and temperature sensitivity of optically excited micromachined Si sensor for permanently installed, 215
- Driving applications
 - ultrasonic sensor for reverse, 51
- Driving-point impedance
 - transducer modelling technique for identification of transfer function and, 361
- Dynamic properties
 - of pressure sensors based on AlGaAs films, 622
- Eddy current sensor
 - for measurement of lateral displacement; applications in railway domain, 17
- Electrets
 - SiO_2 , for electric-field generation in sensors and actuators, 357
- Electrical cross-talk
 - in two-port resonators; resonant Si beam force sensor, 168
- Electric-field generation
 - SiO_2 electrets for, in sensors and actuators, 357
- Electron spin resonance
 - current sensor using ESR, 174
- Electroreflectance technique
 - use of, in Pt/GaAs Schottky barrier sensor characterization, 354
- Emitter efficiency modulation
 - two-dimensional numerical modeling of dual-collector magnetotransistors; evidence for, 210
- Emission control
 - new generation of automotive sensors to fulfil requirements of fuel economy and, 60
- Energy-saving system
 - ultrasonic sensors for, 545
- Etching
 - KOH, of high-index crystal planes in Si, 283
- Ferroelectric thick films
 - resonant pressure sensor based on piezoelectric properties of, 153
- Fibre optic principle
 - novel non-contact sensor for surface topography measurement using, 68
- Fiber-optic sensor
 - large-bandwidth reflection, for turbomachinery rotor blade diagnostics, 539
- Field levitation
 - and torque-frequency characteristics; dielectric induction micromotors, 525
- Finite-element modelling
 - of thermoelectric materials and devices, 413
- Flowrate measurements
 - optical fibre vortex sensor for, 696
- Force
 - measurement on robotic assembly hand, 531
- Force sensors
 - specialized hardwired board for processing data provided by, used in robotics, 487
- FI-IR spectroscopy
 - analysis by, of SiO_2 -polycrystalline Si structures used in micromechanics; stress measurements, 347
- Fuel economy
 - new generation of automotive sensors to fulfil requirements of, and emission control, 60
- Gallium
 - dynamic properties of pressure sensors based on AlGaAs films, 622
 - GaAs Hall sensors made by MOCVD technique, 651
 - use of electroreflectance technique in Pt/GaAs Schottky barrier sensor characterization, 354
- Gamma ray detector
 - new development of HgI_2 X-ray and soft, for synchrotron radiation research and dosimetry applications, 455
- Gaseous sensors
 - based on solid proton conductors, 476
- Gas sensor
 - heated membrane for capacitive, 321
- Grating/detector array
 - integrated, fabricated in Si using micromachining techniques, 259
- Hall plates
 - spatial symmetry of transduction effects in, 206
- Hall sensors
 - GaAs, made by MOCVD technique, 651
- Hardwired board
 - specialized, for processing data provided by force sensors used in robotics, 487
- Heated membrane
 - for capacitive gas sensor, 321
- Inductive transducers
 - with magnetic fluids, 678
- Inorganic scintillator
 - radiation sensor based on, with fibre readout for high energy radiography, 464
- Integrated sensor bus
 - interface in Si based on RS-422-A standard, 499
- IR detector(s)
 - free-standing microthermopile, 403
 - high-speed sensitive thermovoltic, 389
- IR sensor
 - integrated, using pyroelectric polymer PVDF, 396
- KOH etching
 - of high-index crystal planes in Si, 283
- Laser machining
 - fabrication of microchannels by, and anisotropic etching of Si, 299
- Lateral displacement
 - eddy current sensor for measurement of; applications in railway domain, 17
- Lead titanate
 - pure and Ca-modified Pb titanate ceramics for pyroelectric sensors, 393
- Light-addressable potentiometric sensor
 - minority carrier diffusion length effects on LAPS devices, 431
- Light emission
 - optocoupler based on avalanche, in Si, 229
- Linear variable differential transformer
 - linear displacement transducer utilizing ferromagnetic amorphous metallic glass ribbons, 582

- Liquid-level sensor
 - superconductor-semiconductor hybrid cryogenic, of enhanced sensitivity, 604
- Liquid-phase epitaxy
 - implanted homojunctions on LPE HgCdTe, 407
- MAGFETs
 - Si, optimized for sensitivity and noise properties, 656
- Magnetic field sensor(s)
 - for non-disturbing and wide-band measurements, 671
 - based on rotating amorphous ribbons, 220
- Magnetic fluids
 - inductive transducers with, 678
- Magnetic sensors
 - noise and resolution of semiconductor integrated, 682
- Magnetometer
 - circular, 661
- Magnetoresistive sensors
 - hybrid thick-film, 665
- Magnetotransistors
 - two-dimensional numerical modeling of dual-collector; evidence for emitter efficiency modulation, 210
- Magnets
 - microactuators with moving, for linear, torsional or multi-axial motion, 612
- Mechanical sensor design
 - simulation tool for, 521
- Mechanical vibrations
 - activation and detection of, in piezoelectric beams, 567
- Mechatronic sensors
 - in integrated vehicle architecture, 54
- Medical applications
 - biaxial scanning mirror activated by bimorph structures for, 29
- Medical operation
 - multi-frequency microwave radiometer for, 291
- Membrane suspension
 - subminiature capacitive movement detector using composite, 90
- Mercury
 - implanted homojunctions on LPE HgCdTe, 407
- Mercury iodide
 - new development of HgI₂ X-ray and soft gamma ray detector for synchrotron radiation research and dosimetry applications, 455
- Metallic glass ribbon
 - linear displacement transducer utilizing ferromagnetic amorphous; LVDT, 582
- Metal organic chemical vapour deposition
 - GaAs Hall sensors made by MOCVD technique, 651
- Metrology
 - thin-film bolometer for high-frequency, 423
- Microactuators
 - with moving magnets for linear, torsional or multi-axial motion, 598
- Micromachined sensor structures
 - with linear capacitive response, 200
- Microphone(s)
 - micromachined subminiature condenser, in Si, 560
 - Si subminiature, based on piezoresistive polysilicon strain gauges, 555
- Micropump
 - high-pressure, for integrated chemical analyzing systems, 335
- Microresonator sensor
 - temperature characteristics of all-fibre optically addressed Si, 706
- Microstrip detectors
 - processing high-quality Si for, 366
- Microthermopile IR detector
 - free-standing, 403
- Microwave radiometer
 - multi-frequency, for medical operation, 291
- Minority carrier diffusion length effects
 - on LAPS devices, 431
- Mobile robot
 - optoelectronic sensor for autonomous, using passive reflectors, 46
- Moiré displacement sensors
 - diffractional and coherence effects in linear, 588
- Moiré fringe method
 - non-contacting torque measurement by modified, 178
- Moment measurement
 - on robotic assembly hand, 531
- Movement detector
 - subminiature capacitive, using composite membrane suspension, 90
- Multi-sensor integration
 - data structures for, 491
- Noise
 - and resolution of semiconductor integrated magnetic sensors, 682
- Noise properties
 - Si MAGFETs optimized for sensitivity and, 656
- Non-contact sensor
 - novel, for surface topography measurement using fibre optic principle, 68
- Nuclear radiation detector
 - spatial resolution of diffusion-based Si, 250
- Object recognition
 - ultrasonic echoes from complex surfaces; application to, 182
- Operation of sensors
 - non-equilibrium, irreversibility, non-linearity and instability in, 275
- Optical angular displacement sensor
 - with high resolution integrated in Si, 591
- Optical chemical sensor
 - compact, based on surface plasmon interrogation, 710
- Optical fibre monitoring
 - polychromatic birefringence sensing for, of surface strain, 691
- Optical fibre refractometer
 - automatization of, 701
- Optical fibre sensor
 - intrinsic, for monitoring acoustic emission, 110
- Optical fibre vortex sensor
 - for flowrate measurements, 696
- Optically excited Si sensor
 - for permanently installed downhole pressure monitoring applications, 164
- Optical pick-up
 - non-contact absolute position measurement using compact disc player, 575
- Optical pressure sensor(s)
 - based on semiconductor quantum wells, 632
 - Si, 628
- Optical sensor(s)
 - CdSe-based thin-film integrated, 437
 - inexpensive real-time 3-D camera with smart, 241

- Optocoupler
 - based on avalanche light emission in Si, 229
- Optoelectronic sensor
 - for autonomous mobile robot using passive reflectors, 46
- Organic molecules
 - selective detection of, with polymers and supramolecular compounds; application of capacitance, quartz microbalance and calorimetric transducers, 130
- Passive reflectors
 - optoelectronic sensors for autonomous mobile robot using, 46
- Pattern recognition
 - from sensor arrays; theoretical considerations, 507
- Photodetectors
 - Si UV, 480
- Piezoelectric beams
 - activation and detection of mechanical vibrations in, 567
- Piezoelectric properties
 - resonant pressure sensor based on, of ferroelectric thick films, 153
- Piezoelectric quartz crystal sensors
 - theory of operation of, for biochemical application, 159
- Plasma-enhanced chemical vapor deposition
 - high-density Si nitride thin film in PECVD, 303
- Platinum
 - use of electroreflectance technique in Pt/GaAs Schottky barrier sensor characterization, 354
- Polychromatic birefringence sensing
 - for optical fibre monitoring of surface strain, 691
- Polymide
 - comparison of SiO_x and, as dielectric layer on stainless steel in thin-film pressure sensor manufacture, 611
- Polypyrrole
 - sensing properties of polypyrrole-polytetrafluoroethylene composite thin films from granular metal-polymer precursors, 313
- Polysiloxane coatings
 - controlled selectivity of; their use in capacitance sensors, 326
- Polytetrafluoroethylene
 - sensing properties of polypyrrole-PTFE composite thin films from granular metal-polymer precursors, 313
- Positioning sensor
 - for tonometric applications, 24
- Pressure monitoring applications
 - optically excited Si sensor for permanently installed downhole, 164
- Pressure sensitivity
 - modelling, of an optically excited micromachined Si sensor for permanently installed downhole monitoring systems, 215
- Pressure sensor(s)
 - capacitively excited and detected resonant, with temperature compensation, 639
 - comparison of SiO_x and polyimide as dielectric layer on stainless steel in thin-film, manufacture, 611
 - dynamic properties of, based on AlGaAs films, 622
 - optical, based on semiconductor quantum wells, 632
 - resonant, based on piezoelectric properties of ferroelectric thick films, 153
 - Si optical, 628
 - transient response of capacitive, 616
- Process parameter variation
 - effect of, on polysilicon temperature transducer characteristics, 419
- Proton conductors
 - gaseous sensors based on solid, 476
- PVDF
 - integrated IR sensor using pyroelectric polymer, 396
- Pyroelectric sensor arrays
 - on Si, 225
- Pyroelectric sensors
 - pure and Ca-modified Pb titanate ceramics for, 393
- Quantum wells
 - optical pressure sensors based on semiconductor, 632
- Quartz microbalance transducers
 - selective detection of organic molecules with polymers and supramolecular compounds; application of, 130
- Radiation sensor
 - based on inorganic scintillator with fibre readout for high energy radiography, 464
- Radiography
 - radiation sensor based on inorganic scintillator with fibre readout for high energy, 464
- Railway domain
 - eddy current sensor for measurement of lateral displacement; applications in, 17
- Range measurement
 - digital techniques improve, with ultrasound sensor, 550
- Refractometer
 - automatization of optical fibre, 701
- Resonant pressure sensor(s)
 - capacitively excited and detected, with temperature compensation, 639
 - based on piezoelectric properties of ferroelectric thick films, 153
- Resonant silicon beam force sensor
 - electrical cross-talk in two-port resonators, 168
- Robotic assembly hand
 - force and moment measurement on, 531
- Robotics
 - specialized hardwired board for processing data provided by force sensors used in, 487
- Rotor blade diagnostics
 - large-bandwidth reflection fiber-optic sensors for turbomachinery, 539
- Scanning mirror
 - biaxial, activated by bimorph structures for medical applications, 29
- Schottky barrier sensor
 - use of electroreflectance technique in Pt/GaAs, characterization, 354
- Seebeck-voltage-to-frequency conversion
 - integrated smart two-dimensional thermal flow sensor with, 9
- Selenium
 - CdSe-based thin-film integrated optical sensors, 437
- Semiconductor-based transducers
 - preparation of well-engineered thin molecular layers on, 307
- Semiconductor drift detectors
 - for high resolution X-ray spectroscopy, 245
- Sensing properties
 - of polypyrrole-polytetrafluoroethylene composite thin films from granular metal-polymer precursors, 313
- Sensor arrays
 - pattern recognition from; theoretical considerations, 507

Sensor technology

- problems associated with bringing, to market place, 77
- strategy in Si, 138

Shear and normal force measurements

- capacitive tactile sensor for, 115

Silicon

- analysis by FT-IR spectroscopy of SiO_2 -polycrystalline Si structures used in micromechanics; stress measurements, 347
- colour measurement system for testing of integrated Si colour sensor, 442
- comparison of SiO_x and polyimide as dielectric layer on stainless steel in thin-film pressure sensor manufacture, 611
- compatibility between bipolar readout electronics and microstructures in Si, 188
- damping of piezoresistive Si accelerometers, 375
- effect of process parameter variation on polysilicon temperature transducer characteristics, 419
- electrical cross-talk in two-port resonators; resonant Si beam force sensor, 168
- fabrication of microchannels by laser machining and anisotropic etching of Si, 299
- high-density Si nitride thin film in PECVD, 303
- integrated grating/detector array fabricated in Si using micromachining techniques, 259
- integrated sensor bus interface in Si based on RS-422-A standard, 499
- KOH etching of high-index crystal planes in Si, 283
- low-temperature Si wafer bonding, 340
- micromachined subminiature condenser microphones in Si, 560
- modelling pressure and temperature sensitivity of optically excited micromachined Si sensor for permanently installed downhole monitoring systems, 215
- new condenser microphone with p^+ Si membrane, 149
- optical angular displacement sensor with high resolution integrated in Si, 591
- optically excited Si sensor for permanently installed downhole pressure monitoring applications, 164
- optocoupler based on avalanche light emission in Si, 229
- processing high-quality Si for microstrip detectors, 366
- pyroelectric sensor arrays on Si, 225
- sensor technology in Si, 138
- Si MAGFETs optimized for sensitivity and noise properties, 656
- SiO_2 electrets for electric-field generation in sensors and actuators, 357
- Si optical pressure sensor, 628
- Si subminiature microphone based on piezoresistive polysilicon strain gauges, 555
- Si UV photodetectors, 480
- spatial resolution of diffusion-based Si nuclear radiation detector, 250
- temperature characteristics of all-fibre optically addressed Si microresonator sensor, 706

Simulation tool

- for mechanical sensor design, 521

Spatial resolution

- of diffusion-based Si nuclear radiation detector, 250

Spatial symmetry

- of transduction effects in Hall plates, 206

Strain

- polychromatic birefringence sensing for optical fibre monitoring of surface, 691

Strain gauges

- calibration systems for, to be used at cryogenic temperatures, 125
- Si subminiature microphone based on piezoresistive polysilicon, 555

Stress-component-selective tactile sensor array, 97

Stress measurements

- analysis by FT-IR spectroscopy of SiO_2 -polycrystalline Si structures used in micromechanics, 347

Superconductor-semiconductor

- hybrid cryogenic liquid-level sensor of enhanced sensitivity, 604

Surface plasmon interrogation

- compact optical chemical sensor based on, 710

Surface topography measurement

- novel non-contact sensor for, using fibre optical principle, 68

Synchrotron radiation research

- new development of HgI_2 X-ray and soft gamma ray detector for, and dosimetry applications, 455

Tactile imaging, 83

Tactile sensor

- capacitive, for shear and normal force measurements, 115
- integrated charge amplifier for smart, 101

Tactile sensor array

- stress-component-selective, 97

Tellurium

- implanted homojunctions on LPE HgCdTe , 407

Temperature characteristics

- of all-fibre optically addressed Si microresonator sensor, 706

Temperature compensation

- capacitively excited and detected resonator pressure sensor with, 639

Temperature sensitivity

- modelling, of an optically excited micromachined Si sensor for permanently installed downhole monitoring systems, 215

Temperature transducer

- effect of process parameter variation on polysilicon, characteristics, 419

Thermal accelerometer

- design considerations for, 380

Thermal flow sensor

- integrated smart two-dimensional, with Seebeck-voltage-to-frequency conversion, 9

Thermoelectric materials and devices

- finite-element modelling of, 413

Thermovoltaic IR detectors

- high-speed sensitive, 389

Thick-film multisensors

- design and application of, 144

Tonometric applications

- positioning sensor for, 24

Torque-frequency characteristics

- dielectric induction micromotors; field levitation and, 525

Torque measurement

- non-contacting, by modified moiré fringe method, 178

Transducer(s)

- effect of process parameter variation on polysilicon temperature, characteristics, 419
- inductive, with magnetic fluids, 678
- linear displacement, utilizing ferromagnetic amorphous metallic glass ribbons; LVDT, 582

- preparation of well-engineered thin molecular layers on semiconductor-based, 307
- Transducer modelling technique
 - for identification of transfer function and driving-point impedance, 361
- Transduction effects
 - spatial symmetry of, in Hall plates, 206
- Transfer function
 - transducer modelling technique for identification of, and driving-point impedance, 361
- Transient response
 - of capacitive pressure sensors, 616
- Turbomachinery
 - large-bandwidth reflection fiber-optic sensors for, rotor blade diagnostics, 539
- Ultrasonics echoes
 - from complex surfaces; application to object recognition, 182
- Ultrasonic sensor(s)
 - for energy-saving system, 545
 - for reverse driving applications, 51
- Ultrasound sensor
 - digital techniques improve range measurement with, 550
- Ultraviolet
 - Si UV photodetectors, 480
 - UV-sensitive CCD detector array based on charge-induced depletion layers, 470
- Vehicle architecture
 - mechatronic sensors in integrated, 54
- Wide-band measurements
 - magnetic field sensors for non-disturbing and, 671
- X-ray detector
 - new development of HgI₂, for synchrotron radiation research and dosimetry applications, 455
- X-ray spectroscopy
 - semiconductor drift detectors for high resolution, 245

